


## **Musical Movement**

The movement is attached to the base of your box with screws that are supplied. The movement comes equipped with a wire stopper installed.

## Instructions

- While stopper is screwed to the mechanism, bend wire to shape of wire stopper in illustration. (If bending is difficult remove stopper so as not to damage movement.)
- The distance from A to B should be a little longer than the height of back of the box.
- 3.) Bend wire at A so that the wire will not scratch the box.
- 4.) Bend wire at C to turn on and off the flywheel D.

**Note:** If you do not want the musical movement to be on automatic, remove the stopper completely.






## MOUNTING MUSICAL MOVEMENT

The movement is attached to the base of your box with the screws that are supplied. The movement comes equipped with a small wire stopper installed. If you are using the movement in a shallow box, follow the installation instruction starting with number 4. To use the movement in a deep box, it is necessary to install a special key and stopper #F1460.

## Installation


- 1. Loosen screw A.
- 2. Remove the small wire stopper.
- Install long stopper bracket under loosened screw A. (See illustration) Tighten the screw.
- While stopper is screwed to the mechanism, bend wire to shape of wire stopper in illustration. (If bending is difficult remove stopper so as not to damage movement.)
- The distance from W to Y will be a little longer than the height of the back of the box.
- Bend wire at W so that the wire will not scratch the cover.
- Bend the wire at C to turn on and off the flywheel B.

Note: If you do not want the musical movement to be on automatic, remove the short and long stopper completely.










Thole 400 Key

Line up three 32 holes from music box player.

#1" hole through false bottom.



24" hole

Line up three 32 holes from music box player.

#4" hole through false bottom.

